

	Hits	Search Text	DBs
1	573	((scrol\$3 adj bar) slid\$5) with menu	USPAT; US-PGPUB
2	970	((scrol\$3 adj bar) slid\$5) with (value same range)	USPAT; US-PGPUB
3	842	((scrol\$3 adj bar) slid\$5) with (value with range)	USPAT; US-PGPUB
4	0	((scrol\$3 adj bar) slid\$5) with (value with range)) and (touch\$2pad (touch adj4 screen))	EPO; JPO; DERWENT; IBM_TDB
5	35	((scrol\$3 adj bar) slid\$5) with (value with range)) and (touch\$2pad (touch adj4 screen))	USPAT; US-PGPUB
6	0	((scrol\$3 adj bar) slid\$5) with (value with range)) and (touch\$2pad (touch adj4 screen) PDA)	EPO; JPO; DERWENT; IBM_TDB
7	46	((scrol\$3 adj bar) slid\$5) with (value with range)) and (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
8	520	((scrol\$3 adj bar) slid\$5) same (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
9	239	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
10	19	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) PDA)) and (value with field)	USPAT; US-PGPUB
11	31	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) PDA)) and (value with range)	USPAT; US-PGPUB
12	0	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) PDA)) and (value with field)	EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
13	0	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) PDA)) and (value with range)	EPO; JPO; DERWENT; IBM_TDB
14	34	("4831556"   "5075673"   "5122785"   "5196838"   "5202961"   "5265246"   "5313229"   "5333247"   "5339391"   "5371846"   "5374942"   "5418549"   "5473344"   "5491781"   "5495566"   "5506951"   "5526480"   "5528259"   "5528260"   "5530455"   "5532715"   "5550969"   "5553225"   "5581275"   "5633657"   "5680561"   "5740549"   "5838320"   "5850531"   "5867678"   "5872566"   "5874961"   "5877766"   "5896132") .PN.	USPAT
15	11	("4514726"   "4672575"   "5122785"   "5200738"   "5333247"   "5337405"   "5414809"   "5495566"   "5510808"   "5568603"   "5581670") .PN.	USPAT
16	11	("4514726"   "4672575"   "5122785"   "5200738"   "5333247"   "5337405"   "5414809"   "5495566"   "5510808"   "5568603"   "5581670") .PN.	USPAT
17	0	6339438.URPN.	USPAT
18	0	6339438.URPN.	USPAT
19	0	6339438.URPN.	USPAT
20	0	6339438.URPN.	USPAT



	Hits	Search Text	DBs
21	34	("4831556"   "5075673"   "5122785"   "5196838"   "5202961"   "5265246"   "5313229"   "5333247"   "5339391"   "5371846"   "5374942"   "5418549"   "5473344"   "5491781"   "5495566"   "5506951"   "5526480"   "5528259"   "5528260"   "5530455"   "5532715"   "5550969"   "5553225"   "5581275"   "5633657"   "5680561"   "5740549"   "5838320"   "5850531"   "5867678"   "5872566"   "5874961"   "5877766"   "5896132") .PN.	USPAT
22	5	("5237498"   "5526257"   "5584025"   "5794209"   "6070176") .PN.	USPAT



	Hits	Search Text	DBs
23	62	("3816726"   "4719571"   "4807158"   "4868771"   "4928247"   "4994989"   "5043920"   "5072395"   "5150457"   "5164904"   "5201047"   "5228119"   "5247666"   "5251131"   "5253333"   "5282262"   "5295243"   "5303388"   "5307456"   "5325445"   "5418946"   "5420968"   "5426780"   "5459829"   "5463773"   "5467444"   "5479597"   "5515486"   "5519865"   "5528735"   "5546529"   "5553163"   "5555354"   "5604821"   "5634087"   "5659731"   "5671333"   "5671381"   "5675711"   "5675785"   "5675786"   "5678015"   "5680476"   "5694524"   "5696964"   "5701466"   "5706495"   "5724573"   "5727199"   "5732230"   "5737487"   "5748852"   "5787274"   "5861891"   "5864839"   "5877775"   "5896139"   "5946002"   "6004134"   "6026399"   "6061072"   "6075530") .PN.	USPAT
24	132	((scrol\$3 adj bar) slid\$5) near5 (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
25	37	((scrol\$3 adj bar) slid\$5) near (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
26	16	((scrol\$3 adj bar) slid\$5) adj (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
27	4	((scrol\$3 adj bar) slider) with (touch\$2pad (touch adj4 screen) PDA)	EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
28	61	((scrol\$3 adj bar) slider) with (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
29	13	("5185515"   "5327160"   "5390005"   "5412189"   "5485176"   "5545857"   "5552806"   "5589855"   "5614993"   "5715412"   "5896129"   "5914707"   "5941930").PN.	USPAT
30	0	((scrol\$3 adj bar) slider) near (touch\$2pad (touch adj4 screen) PDA)	EPO; JPO; DERWENT; IBM_TDB
31	8	((scrol\$3 adj bar) slider) near (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
32	1	((scrol\$3 adj bar) slider) near2 (touch\$2pad (touch adj4 screen) PDA)	EPO; JPO; DERWENT; IBM_TDB
33	14	((scrol\$3 adj bar) slider) near2 (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
34	1	((scrol\$3 adj bar) slider) adj (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
35	3	((scroll adj bar) slider) near5 (touch\$1pad (touch adj screen) PDA)	EPO; JPO; DERWENT; IBM_TDB
36	37	((scroll adj bar) slider) near5 (touch\$1pad (touch adj screen) PDA)	USPAT; US-PGPUB
37	0	PDA and (scrol\$3 adj bar) and ((candidat\$3 and Select\$4) near3 value)	USPAT; US-PGPUB
38	0	(scrol\$3 adj bar) and ((candidat\$3 and Select\$4) near3 value)	USPAT; US-PGPUB
39	0	(scrol\$3 adj bar) and ((candidat\$3 and select\$4) near7 value)	USPAT; US-PGPUB
40	478	(scrol\$3 adj bar) and ((select\$4) near7 value)	USPAT; US-PGPUB



	Hits	Search Text	DBs
41	71	((scrol\$3 adj bar) and ((select\$4) near7 value)) and candidat\$5	USPAT; US-PGPUB
42	1	((scrol\$3 adj bar) and ((select\$4) near7 value)) and (candidat\$5 adj value)	USPAT; US-PGPUB
43	5	((scrol\$3 adj bar) with ((select\$4) near7 value)) and candid\$5	USPAT; US-PGPUB
44	26	(scrol\$3 adj bar) with ((select\$4) near7 value)	USPAT; US-PGPUB
45	126	((scrol\$3 adj bar) and ((select\$4) near7 value)) and (touch\$1pad (touch adj screen) PDA)	USPAT; US-PGPUB
46	126	((scrol\$3 adj bar) and ((select\$4) near7 value)) and (touch\$1pad (touch adj screen) PDA)	USPAT; US-PGPUB
47	3	((scrol\$3 adj bar) with (touch\$1pad (touch adj screen) PDA)) and ((select\$4) near7 value)	USPAT; US-PGPUB
48	113	((scrol\$3 adj bar) and (touch\$1pad (touch adj screen) PDA)) and ((select\$4) near7 value)	USPAT; US-PGPUB
49	20	((scrol\$3 adj bar) same (touch\$1pad (touch adj screen) PDA)) and ((select\$4) near7 value)	USPAT; US-PGPUB
50	0	((scrol\$3 adj bar) and (touch\$1pad (touch adj screen) PDA)) same ((select\$4) near7 value)	USPAT; US-PGPUB
51	0	((scrol\$3 adj bar) and (touch\$1pad (touch adj screen) PDA)) same ((select\$4) near7 value)	EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
52	7	((scrol\$3 adj bar) same (touch\$1pad (touch adj screen) PDA)) and ((select\$4) near7 value)	USPAT
53	52	((scrol\$3 adj bar) and ((select\$4) near7 value)) and (touch\$1pad (touch adj screen) PDA)	USPAT
54	17	((scroll adj bar) slider) near5 (touch\$1pad (touch adj screen) PDA)	USPAT
55	6	((scrol\$3 adj bar) slider) near2 (touch\$2pad (touch adj4 screen) PDA)	USPAT
56	1	((scrol\$3 adj bar) slider) near (touch\$2pad (touch adj4 screen) PDA)	USPAT
57	31	((scrol\$3 adj bar) slider) with (touch\$2pad (touch adj4 screen) PDA)	USPAT
58	18	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) PDA)) and (value with range)	USPAT
59	0	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) PDA)) and (value with range)	EPO; JPO; DERWENT; IBM_TDB
60	9	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) PDA)) and (value with field)	USPAT
61	39	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) and PDA)	USPAT
62	6	5943052.URPN.	USPAT
63	7	("5122785"   "5313229"   "5530455"   "5659333"   "5663748"   "5739821"   "5748185").PN.	USPAT



	Hits	Search Text	DBs
64	2	((scrol\$3 adj bar) slid\$5) with (touch\$2pad (touch adj4 screen) and PDA)	EPO; JPO; DERWENT; IBM_TDB
65	34	((scrol\$3 adj bar) slid\$5) with (value with range)) and (touch\$2pad (touch adj4 screen) PDA)	USPAT
66	0	6512530.URPN.	USPAT
67	5	("5559301"   "5615347"   "5640595"   "5751285"   "6331864").PN.	USPAT
68	1	5943052.pn.	USPAT; US-PGPUB
69	6	5943052.URPN.	USPAT
70	63	PDA and (scroll adj bar) and (select\$4 near5 value)	USPAT; US-PGPUB
71	14	PDA and (scroll adj bar) and (select\$4 near5 value)	USPAT
72	11	PDA and (scroll adj bar) and (range with value)	USPAT
73	0	6157379.URPN.	USPAT
74	5	("5119079"   "5347295"   "5627567"   "5801941"   "5805157").PN.	USPAT
75	1358	(345/173).CCLS.	USPAT; US-PGPUB
76	24	((345/173).CCLS.) and ((scrol\$3 adj bar) slid\$5) near5 (touch\$2pad (touch adj4 screen) PDA)	USPAT; US-PGPUB
77	19	((345/173).CCLS.) and ((scrol\$3 adj bar) slid\$5) near5 (touch\$2pad (touch adj4 screen) PDA)	USPAT
78	35	Ludtke.in.	USPAT
79	2	Ludtke.in. and scroll	USPAT



	Hits	Search Text	DBs
80	0	6489951.pn. and XML	USPAT; US-PGPUB
81	0	6014661.pn. and XML	USPAT; US-PGPUB
82	1	PDA and (scroll adj bar) and (select\$4 near5 value) and XML	USPAT
83	24	PDA and (scroll adj bar) and (select\$4 near5 value) and XML	USPAT; US-PGPUB
84	0	((scrol\$3 adj bar) and ((select\$4) near7 textbox)) and (touch\$1pad (touch adj screen) PDA)	USPAT
85	0	((scrol\$3 adj bar) and ((select\$4) with textbox)) and (touch\$1pad (touch adj screen) PDA)	USPAT
86	0	((scroll adj bar) slider) near5 (touch\$1pad (touch adj screen) PDA) and textbox	USPAT
87	0	((scrol\$3 adj bar) slid\$5) with (textbox)) and (touch\$2pad (touch adj4 screen) PDA)	USPAT
88	0	PDA and (scroll adj bar) and (select\$4 near5 textbox)	USPAT; US-PGPUB
89	29	((345/173).CCLS.) and ((scrol\$3 adj bar) slid\$5) near5 (touch\$2pad (touch adj4 screen) textbox)	USPAT; US-PGPUB
90	20	((345/173).CCLS.) and ((scrol\$3 adj bar) slid\$5) near5 (touch\$2pad (touch adj4 screen) textbox)	USPAT
91	1	((345/173).CCLS.) and ((scrol\$3 adj bar) slid\$5) near5 (textbox)	USPAT; US-PGPUB



	Hits	Search Text	DBs
92	0	((345/173).CCLS.) and ((scrol\$3 adj bar) slid\$5) near5 (textbox)	EPO; JPO; DERWENT; IBM_TDB
93	0	((scrol\$3 adj bar) slid\$5) near5 (textbox)	EPO; JPO; DERWENT; IBM_TDB
94	0	((scrol\$3 adj bar) slid\$5) with (textbox)	EPO; JPO; DERWENT; IBM_TDB
95	5	((scrol\$3 adj bar) slid\$5) with (textbox)	USPAT; US-PGPUB
96	41	(345/833).CCLS.	USPAT; US-PGPUB
97	11	5706448.URPN.	USPAT
98	9	("5345550"   "5392388"   "5418549"   "5450540"   "5452413"   "5452414"   "5463726"   "5463727"   "5524196").PN.	USPAT
99	150	((scrol\$3 adj bar) slid\$5) with (list adj3 box)	USPAT; US-PGPUB
100	99	((scrol\$3 adj bar) slid\$5) with (list adj3 box)	USPAT
101	5	((scrol\$3 adj bar) slid\$5) with (list adj3 box)) and PDA	USPAT
102	8	((scrol\$3 adj bar) slid\$5) same (list adj3 box)) and PDA	USPAT
103	23	((scrol\$3 adj bar) slid\$5) and (list adj3 box)) and PDA	USPAT
104	87	((scrol\$3 adj bar) slid\$5) with (list adj box)	USPAT
105	16	((scrol\$3 adj bar) slid\$5) and (list adj box)) and PDA	USPAT
106	1	((scrol\$3 adj bar) slid\$5) and (list adj box)) and PDA	EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
107	0	6486893.URPN.	USPAT
108	1	6486893.pn.	USPAT; US-PGPUB
109	0	6486893.URPN.	USPAT
110	7	("5347629"   "5487141"   "5689662"   "5842020"   "5870088"   "6035301"   "6247020").PN.	USPAT
111	1256	(345/784,786,440,442).CCLS .	USPAT; US-PGPUB
112	0	((345/784,786,440,442).CCL S.) and (((scrol\$3 adj bar) slid\$5) and (list adj box)) and PDA)	USPAT
113	7	((345/784,786,440,442).CCL S.) and (((scrol\$3 adj bar) slid\$5)) and PDA)	USPAT
114	7	((345/784,786,440,442).CCL S.) and (((scrol\$3 near3 bar) slid\$5)) and PDA)	USPAT
115	51	((345/784,786,440,442).CCL S.) and (((scrol\$3 near3 bar) slid\$5)) and (touch adj5 screen))	USPAT
116	0	LCD and (quasi\$2reference adj3 equalizing adj3 component)	USPAT; US-PGPUB